Jetson L2

Jetson L2

Jetson L2 is a huddle space for two people, perfect to talk and debate, free from distractions. Thanks to adjustable seats and shelves to decorate with books, posters, and plants, everyone can feel at home here. The ventilation exchanges air every two minutes, keeping your minds sharp and your ideas fresh.

Jetson is a family of universal acoustic pods designed to make everyone's work joyful and fruitful. It's truly people-focused: comfortable and customizable through add-on sets to meet your need and vision. Made of extruded aluminum, which makes it the lightest and most environmentally-friendly pod on the market. With its durable construction, no-hassle assembly, effective sound attenuation, and attractive price, Jetson will introduce the benefits of acoustic pods to all.

FUNCTION

Meeting, collaboration or focused work

ACOUSTICS

Insulation

USAGE

Open space

Reception

Breakout area

Other public spaces

Dimensions, weight & features

Exterior view labels: 65 mm / 3 in., 370 mm / 15 in., 960 mm / 38 in., 2264 mm / 88 in., 2150 mm / 85 in.

Section view labels: Supply vent, LEDs, Supply vent, 745 mm / 29 in., 440 mm / 17 in., 600 mm / 24 in., Exhaust vent, Exhaust vent

Plan view labels: 925 mm / 36 in., 504 mm / 20 in., 840 mm / 33 in., 80 mm / 3 in., 1270 mm / 50 in., 2010 mm / 79 in., Left-handed door

Top view labels: Power cord outlet (bottom/top option), Input fan

DIMENSIONS [MM	IN.]	EXTERIOR / INTERIOR	
Width	2150 / 2010	85 / 79
Depth	1000 / 860	40 / 34
	+ 800	32 with an open door	
Height	2264 / 2102	88 / 83
Tabletop [w x d x h]	925 × 504 × 745	
	36 × 20 × 29	

WEIGHT [KG	LBS]		
Pod	373	822
Seating	12,5	28
Tabletop	11	24
Deep shelf	2,3	5
Shallow shelf	1,5	3
Display rail	1,4	3

Technical data

ACOUSTIC RESULTS AND VENTILATION

Sound insulation	up to 44,7 dB
Reverberation time	0,2 s
Nominal airflow	365 m³/h
Fan noise outside / inside	≤36 dB / ≤38 dB

POWER SUPPLY AND CONSUMPTION

Working (fan, LEDs)	40 W
Power supply voltage	220-240 / 100-120 VAC, 50-60 Hz
Power sockets in a mediaport	2
USB fast charger in a mediaport	TUF A+C 30 W, 5 V DC
LAN port	Posiibility to route the LAN cable
Available socket types	FR / DE / UK / US / CH / AU / DK* / IT*

*The appearance of the media port may differ from that shown in the renderings. Parameters and features remain unchanged.

COMPOSITION

Aluminium structure and steel elements

Plywood and melamine faced chipboard

Isolating and absorbing materials

Tempered glass

Felt

STANDARD EQUIPMENT SET

Ventilation system

LED lighting

Occupancy sensor

Media port with 2 power and A+C USB sockets

Profiled tabletop

2× sofa with height-adjustable backrest

Shallow shelf with display rail and magnet

2× wall hook

Power cord 3 m | 118 in.

CERTIFICATES AND TESTS

ISO 14001, ISO 9001

VOC and Formaldehyde tested

Speech reduction tested

Reaction to fire tested

OPTIONAL EQUIPMENT

Monitor hanger	837 × 429 mm	33 × 17 in.
	Max load: 50 kg	110 lbs
	VESA standard 100/200/300

ISO 9001   ISO 14001   0% Formaldehyde VOC tested   RoHS   CE   Shipped in flat cardboards to save carbon footprint

Add-on sets

Library set

DEEP SHELF × 1

838 mm / 33 in.

220 mm / 8.7 in.

55 mm / 2.2 in.

SHALLOW SHELF × 1

838 mm / 33 in.

100 mm / 3.9 in.

55 mm / 2.2 in.

DISPLAY RAIL × 1

838 mm / 33 in.

25 mm / 1 in.

75 mm / 1 in.

Also included:

BOOKEND × 2   WALL HOOK × 1   STAND × 1   MAGNET × 2

Note set

WHITEBOARD (9,5 KG / 21 LBS) × 1

838 mm / 33 in.

1037 mm / 41 in.

22 mm / 0.9 in.

34 mm / 1.3 in.

12 mm / 0.5 in.

Also included:

WALL HOOK × 1   MAGNET × 3   MARKER × 1   ERASER × 1

Finishes overview

1 EXTERIOR WALLS AND FRAME

Moon White, PANTONE GREY 403051

Void Black, NCS S8500-N

2 INTERIOR WALLS AND CEILING

Light gray felt

3 TABLETOP AND SHELVES

Oak wood melamine, H1334 ST9

## 4 SEATING UPHOLSTERY

Gabriel Chili, 60115

5 BOOKENDS AND MAGNETS

Matching walls color

6 FLOOR

Dark gray carpet